```
text####Copyright (c) 1998 Hewlett-Packard Company##desc########sRGB IEC61966-
2.1############sRGB IEC61966-
2.1##################################################XYZ ######�Q#######�XYZ
################XYZ ######o�##8�####�XYZ ######b�##��####�XYZ
######$�###�###��desc########IEC http://www.iec.ch############IEC
http://www.iec.ch##############################################desc#######.IEC
61966-2.1 Default RGB colour space - sRGB###########.IEC 61966-2.1 Default RGB
colour space - sRGB######################desc#######,Reference Viewing Condition
in IEC61966-2.1###########,Reference Viewing Condition in IEC61966-
2.1##########################view######��##_.##�####��#######\�####XYZ #####L
      V#P###W#�meas###########################�####sig ####CRT curv#############
###########(#-#2#7#;#@#E#J#O#T#Y#^#c#h#m#r#w#|
#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�######
#######%#+#2#8#>#E#L#R#Y#`#g#n#u#|#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�#�###
```

```
#�######�###P##�#####    ###   ######�=#######�(#####   �#######################
�###############��######
�#########
##�##�6###□######�#�p�#�######�###########�###########�##########�###
      #########"�####�#########�#####�#�#?#q####�#######�############�###
�T#####�############�# ###Click to edit Master title style##�######!#######�#
###!############�$#####
�#########
##�##�0###□######�#�s�#�######�###########�###########�###
      #########"�####�#########�#####�#B#�# ####�#######�############�###
�#####�############�#R###Click to edit Master text styles
Second level
Third level
Fourth level
Fifth level##�######!#####
#####
```

�#########
##�##�0###�#�>�   �#####�#####�#####�#####�#####�##############�#####
##�#K###
��#####�###########�#�###Col George P. Johnson MD, MPH, MHA
Director, Force Readiness & Health Assurance
Force Health Protection and Readiness
25 Oct
2007##�#####�######(####2#�###########�######################`#########�H#####
�#########

```
�#####<###
##�##�0###�#�     �#####�#####�#####�#####�#####�##############�####
##�#K###
��#####�###########�#�###Col George P. Johnson MD, MPH, MHA
Director, Force Readiness & Health Assurance
Force Health Protection and Readiness
george.johnson@tma.osd.mil##�#####�######(####2#�###########�#,################
####T###########################�H#####
�#####<###
```

###��resistant S aureus (MRSA)#####Risk Factors for MRSA#####Treatment of MRSA#####Prevention of MRSA#####Slide 7#7###Methicillin-Resistant Staphylococcus aureus Infections#

```
###d#######�###########On-screen Show######(###Department of Defense - Health
Affairs######�T######/#######################################�##################
#####################
#######Arial#####1_Default Design#7###Methicillin-Resistant Staphylococcus
aureus Infections#####Staphylococcus aureus#&###Methicillin-resistant S aureus
(MRSA)#####Risk Factors for MRSA#####Treatment of MRSA#####Prevention of
MRSA#####Slide 7#7###Methicillin-Resistant Staphylococcus aureus Infections#
```

###d#######�############On-screen Show######(###Department of Defense - Health Affairs######�T######/##�##################
#####################
#######Arial#####1_Default Design#7###Methicillin-Resistant Staphylococcus aureus Infections#####Staphylococcus aureus#&###Methicillin-resistant S aureus (MRSA)#####Risk Factors for MRSA#####Treatment of MRSA#####Prevention of MRSA#####Slide 7#7###Methicillin-Resistant Staphylococcus aureus Infections#